# Complex Analysis

Math 214 Spring 2004 © 2004 Ron Buckmire Fowler 316 MWF 3:30pm - 4:25pm http://faculty.oxy.edu/ron/math/312/04/

Class 24: Friday March 24

SUMMARY Understanding Contour Integration CURRENT READING Saff & Snider, §4.4

# Update on Class 22 and Class 23

After growing comfortable with evaluating contour integrals using the parametrization method (i.e. using z(t)) we introduced more higher-level tools such as the Cauchy-Goursat Theorem, the Path Independence Theorem and the Deformation Invariance Theorem.

### GROUPWORK

Write down, in your own words, a sentence describing each one of the following theorems. You may also want to write down symbols, pictures or even integrals which help you to understand these theorems.

Cauchy-Goursat Theorem

Path Independence Theorem

**Deformation Invariance Theorem** 

# EXAMPLE

Consider the following integrals of the function  $f(z) = \frac{1}{z^3 + z}$   $A = \oint_{C_1} f(z) dz$ ,  $B = \oint_{C_2} f(z) dz$ ,  $C = \oint_{C_3} f(z) dz$  and  $D = \oint_{C_4} f(z) dz$ The contours  $C_1$ ,  $C_2$ ,  $C_3$  and  $C_4$  are as sketched below:

Which of the following equations are true? Give reasons for your answers.

1. 
$$A = B$$
?

2. 
$$B = C$$
?

3. 
$$C = D$$
?

4. 
$$D = A$$
?

# Exercise

Using partial fractions, we can write  $\frac{1}{z^3+z} = \frac{P}{z+i} + \frac{Q}{z-i} + \frac{R}{z}$ Find P, Q and R

Evaluate A, B, C and D