
Numerical Analysis

Math 370 Fall 2004
©2004 Ron Buckmire

MWF 2:30 - 3:25pm
Fowler North 5

Worksheet 3: Friday September 10

SUMMARY Sequences, Order of Convergence and “big Oh”

CURRENT READING Recktenwald (Sec 5.3.1)

Convergence of a Sequence

In a large number of numerical problems we will get a sequence of approximate answers to the single real number which is the exact solution of the problem we are looking at (e.g., a definite integral, a particular value of a solution to an initial value problem, a root of a function, etc.) We often write this sequence as x_1, x_2, x_3, \dots and the limit as L or x_∞ and denote this by

$$\lim_{n \rightarrow \infty} x_n = L$$

Can you recall the formal definition of the above limit of a sequence?

In English, write down what the definition means to you, **in your own words**.

Draw a picture representing this definition:

As we solve problems numerically, we often generate a sequence of approximations x_1, x_2, x_3 which approach an exact answer x_∞ .

We are interested in looking at **rate of convergence** of sequences. Often we want to compare how fast one sequence is converging to its limit relative to another convergent sequence. This is a convenient way of describing and evaluating solution algorithms.

Definition

Suppose we know that a sequence $\{\beta_n\}$ converges to β and $\{\alpha_n\}$ converges to α . The sequence $\{\alpha_n\}$ is said to converge to α at the **rate of convergence** $O(\beta_n)$ if there exists a positive constant K such that

$$|\alpha_n - \alpha| \leq K|\beta_n - \beta|, \quad \text{for large } n$$

Another way of thinking of this is to say that

$$\lim_{n \rightarrow \infty} \frac{|\alpha_n - \alpha|}{|\beta_n - \beta|} = K, \quad \text{where } 0 < K < \infty$$

This is often written as $\alpha_n = \alpha + O(\beta_n)$

We read this (in English) as :

Similarly, we say that $\{\alpha_n\}$ is $o(\beta_n)$ if

$$\lim_{n \rightarrow \infty} \frac{|\alpha_n - \alpha|}{|\beta_n - \beta|} = 0$$

and that $\{\alpha_n\}$ is **equivalent** to $\{\beta_n\}$ (this is written $\alpha_n \sim \beta_n$) if

$$\lim_{n \rightarrow \infty} \frac{|\alpha_n - \alpha|}{|\beta_n - \beta|} = 1$$

For most practical purposes, the limiting values α and β are zero and β_n sequence we deal with has the form $1/n^p$.

Example

Show that $x_n = \frac{n+1}{n^2}$ is $O\left(\frac{1}{n}\right)$ and is also $o(1)$.

What does this result tell you about the meaning and meaningfulness of saying $x_n = o(1)$?

GROUPWORK

What is the order of convergence of $t_n = \frac{1}{n \ln n}$?

MORE EXAMPLES

Find the order of convergence of the following sequences as $n \rightarrow \infty$

1. $x_n = 5n^2 + 9n^3 + 1$

2. $x_n = e^{-n} + 5/n$

3. $x_n = \sqrt{n+3}$

4. $x_n = 1/\ln n$